Genome

Génome

Contents
Volume 45, 2002

Sommaire
Volume 45, 2002

February / février

S.E. Hizer, A.K. Dhar, K.R. Klimpel, and D.K. Garcia RAPD markers as predictors of infectious hypodermal and hematopoietic necrosis virus (IHHNV) resistance in shrimp (*Litopenaeus stylirostris*) 1

R.H. Kuddus, N.N. Kuddus, and I. Dvorchik DNA polymorphism in the living fossil *Ginkgo biloba* from the Eastern United States 8

B.F. McAllister Chromosomal and allelic variation in *Drosophila americana*: selective maintenance of a chromosomal cline 13

C. Kole, P.H. Williams, S.R. Rimmer, and T.C. Osborn Linkage mapping of genes controlling resistance to white rust (*Albugo candida*) in *Brassica rapa* (syn. *campestris*) and comparative mapping to *Brassica napus* and *Arabidopsis thaliana* 22

R. Wu, C.-X Ma, J. Zhu, and G. Casella Mapping epigenetic quantitative trait loci (QTL) altering a developmental trajectory 28

N. Paniego, M. Echaide, M. Muñoz, L. Fernández, S. Torales, P. Faccio, I. Fuxan, M. Carrera, R. Zandomeni, E.Y. Suárez, and H.E. Hopp Microsatellite isolation and characterization in sunflower (*Helianthus annuus* L.) 34

F.G. Sheikh, S.S. Mukhopadhyay, and P. Gupta PstI repeat: a family of short interspersed nucleotide element (SINE)-like sequences in the genomes of cattle, goat, and buffalo 44

K.K. Nkongolo, P. Michael, and W.S. Gratton Identification and characterization of RAPD markers inferring genetic relationships among Pine species 51

P.C. Luttikhuizen and L.P. Pijnacker Mosaic haploid–diploid embryos and polyspermy in the tellinid bivalve *Macoma balthica* 59

O. Picariello, I. Feliciello, R. Bellinello, and G. Chinali S1 satellite DNA as a taxonomic marker in brown frogs: molecular evidence that *Rana graeca graeca* and *Rana graeca italica* are different species 63

L.E. Alvares, C. Polanco, O. Brison, L.L. Coutinho, and I.R.G. Ruiz Molecular evolution of ribosomal intergenic spacers in *Odontophrynus americanus* 2*n* and 4*n* (Amphibia: Anura) 71

K. Turcotte and T. Bureau Phylogenetic analysis reveals *Stowaway*-like elements may represent a fourth family of the IS*630*–Tc1-*mariner* superfamily 82

Y. Zhou, T. Bui, L.D. Auckland, and C.G. Williams Undermethylated DNA as a source of microsatellites from a conifer genome 91

D.W. Cheng, K.C. Armstrong, N. Tinker, C.P. Wight, S. He, A. Lybaert, G. Fedak, and S.J. Molnar Genetic and physical mapping of *Lrk10*-like receptor kinase sequences in hexaploid oat (*Avena sativa* L.) 100

B.F. Cheng, G. Séguin-Swartz, and D.J. Somers Cytogenetic and molecular characterization of intergeneric hybrids between *Brassica napus* and *Orychophragmus violaceus* 110

C. Dong, R. Whitford, and P. Langridge A DNA mismatch repair gene links to the *Ph2* locus in wheat 116

B.S. Coates, R.L. Hellmich, and L.C. Lewis Allelic variation of a *Beauveria bassiana* (Ascomycota: Hypocreales) minisatellite is independent of host range and geographic origin 125

L.P. Zhang, A. Khan, D. Niño-Liu, and M.R. Foolad A molecular linkage map of tomato displaying chromosomal locations of resistance gene analogs based on a *Lycopersicon esculentum* × *Lycopersicon hirsutum* cross 133

Z. Jiang, H. He, N. Hamasima, H. Suzuki, and A.M.V. Gibbins Comparative mapping of *Homo sapiens* chromosome 4 (HSA4) and *Sus scrofa* chromosome 8 (SSC8) using orthologous genes representing different cytogenetic bands as landmarks 147

J.-M Ko, G.-S. Do, D.-Y. Suh, B.-B. Seo, D.-C. Shin, and H.-P. Moon Identification and chromosomal organization of two rye genome-specific RAPD products useful as introgression markers in wheat 157

N.-S. Kim, K.C. Armstrong, G. Fedak, K. Ho, and N.-I. Park A microsatellite sequence from the rice blast fungus (*Magnaporthe grisea*) distinguishes between the centromeres of *Hordeum vulgare* and *H. bulbosum* in hybrid plants 165

J.T. Ouédraogo, B.S. Gowda, M. Jean, T.J. Close, J.D. Ehlers, A.E. Hall, A.G. Gillaspie, P.A. Roberts, A.M. Ismail, G. Bruening, P. Gepts, M.P. Timko, and F.J. Belzile An improved genetic linkage map for cowpea (*Vigna unguiculata* L.) Combining AFLP, RFLP, RAPD, biochemical markers, and biological resistance traits 175

P.A. Ziolkowski and J. Sadowski FISH-mapping of rDNAs and *Arabidopsis* BACs on pachytene complements of selected *Brassicas* 189

P. Hernández, G. Dorado, A. Cabrera, D.A. Laurie, J.W. Snape, and A. Martín Rapid verification of wheat–*Hordeum* introgressions by direct staining of SCAR, STS, and SSR amplicons **198**

TECHNIQUE

A.R. Reddy, W. Ramakrishna, A.C. Sekhar, N. Ithal, P.R. Babu, M.F. Bonaldo, M.B. Soares, and J.L. Bennetzen Novel genes are enriched in normalized cDNA libraries from drought-stressed seedlings of rice (*Oryza sativa* L. subsp. *indica* cv. Nagina 22) **204**

NOTE

T.W.J. Garner Genome size and microsatellites: the effect of nuclear size on amplification potential **212**

Instructions to Authors **I-1**

Recommandatons aux auteurs **R-1**

April / avril

G. Bonnema, P. van den Berg, and P. Lindhout AFLPs mark different genomic regions compared with RFLPs: a case study in tomato **217**

I. Scotti, A. Mariani, V. Verona, A. Candolini, C.A. Cenci, and A.M. Olivieri AFLP markers and cytotaxonomic analysis reveal hybridisation in the genus *Schoenus* (Cyperaceae) **222**

X. Li, D.R. Gardner, M.H. Ralphs, and R.R.-C. Wang Development of STS and CAPS markers for identification of three tall larkspurs (*Delphinium* spp.) **229**

E. Chani, V. Ashkenazi, J. Hillel, and R.E. Veilleux Microsatellite marker analysis of an anther-derived potato family: skewed segregation and gene–centromere mapping **236**

A. Grabowska-Joachimiak and A. Joachimiak C-banded karyotypes of two *Silene* species with heteromorphic sex chromosomes **243**

J.D. Sherman and L.E. Talbert Vernalization-induced changes of the DNA methylation pattern in winter wheat **253**

E.J. Smith, L. Shi, and G. Smith Expressed sequence tags for the chicken genome from a normalized 10-day-old white leghorn whole-embryo cDNA library. 3. DNA sequence analysis of genetic variation in commercial chicken populations **261**

N. Tosti and V. Negri Efficiency of three PCR-based markers in assessing genetic variation among cowpea (*Vigna unguiculata* subsp. *unguiculata*) landraces **268**

R.D. Giese and F.F. Snyder cDNA sequence of five mouse guanine deaminase (*Gda*) alleles and mapping to mouse chromosome 19 **276**

E.S. Jones, N.L. Mahoney, M.D. Hayward, I.P. Armstead, J.G. Jones, M.O. Humphreys, I.P. King, T. Kishida, T. Yamada, F. Balfourier, G. Charmet, and J.W. Forster An enhanced molecular marker based genetic map of perennial ryegrass (*Lolium perenne*) reveals comparative relationships with other Poaceae genomes **282**

V.K. Lloyd, D.A.R. Sinclair, M. Alperyn, and T.A. Grigliatti *Enhancer of garnet*δAP-3 is a cryptic allele of the *white* gene and identifies the intracellular transport system for the white protein **296**

W. Chapco and G. Litzenberger A molecular phylogenetic study of two relict species of melanopline grasshoppers **313**

Y. Wang, L.L. Georgi, T.N. Zhebentyayeva, G.L. Reighard, R. Scorza, and A.G. Abbott High-throughput targeted SSR marker development in peach (*Prunus persica*) **319**

R. Shoemaker, P. Keim, L. Vodkin, E. Retzel, S.W. Clifton, R. Waterston, D. Smoller, V. Coryell, A. Khanna, J. Erpelding, X. Gai, V. Brendel, C. Raph-Schmidt, E.G. Shoop, C.J. Vielweber, M. Schmatz, D. Pape, Y. Bowers, B. Theising, J. Martin, M. Dante, T. Wylie, and C. Granger A compilation of soybean ESTs: generation and analysis **329**

A. De Bustos, Y. Loarce, and N. Jouve Species relationships between antifungal chitinase and nuclear rDNA (internal transcribed spacer) sequences in the genus *Hordeum* **339**

A.C. Dalziel and D.T. Stewart Tissue-specific expression of male-transmitted mitochondrial DNA and its implications for rates of molecular evolution in *Mytilus* mussels (Bivalvia: Mytilidae) **348**

I.A.P. Parkin, D.J. Lydiate, and M. Trick Assessing the level of collinearity between *Arabidopsis thaliana* and *Brassica napus* for *A. thaliana* chromosome 5 **356**

O.D. Anderson, L. Larka, M.J. Christoffers, K.F. McCue, and J.P. Gustafson Comparison of orthologous and paralogous DNA flanking the wheat high molecular weight glutenin genes: sequence conservation and divergence, transposon distribution, and matrix-attachment regions **367**

P. Deb-Rinker, R.L. O'Reilly, E.F. Torrey, and S.M. Singh Molecular characterization of a 2.7-kb, 12q13-specific, retroviral-related sequence isolated by RDA from monozygotic twin pairs discordant for schizophrenia **381**

O. Raskina, A. Belyayev, and E. Nevo Repetitive DNAs of wild emmer wheat (*Triticum dicoccoides*) and their relation to S-genome species: molecular cytogenetic analysis **391**

J.-S. Kim, K.L. Childs, M.N. Islam-Faridi, M.A. Menz, R.R. Klein, P.E. Klein, H.J. Price, J.E. Mullet, and D.M. Stelly Integrated karyotyping of sorghum by in situ hybridization of landed BACs 402

S. Nakao, S. Matsunaga, A. Sakai, T. Kuroiwa, and S. Kawano RAPD isolation of a Y chromosome specific ORF in a dioecious plant, *Silene latifolia* 413

A. Pellegrineschi, L.M. Noguera, B. Skovmand, R.M. Brito, L. Velazquez, M.M. Salgado, R. Hernandez, M. Warburton, and D. Hoisington Identification of highly transformable wheat genotypes for mass production of fertile transgenic plants 421

E.V. Ananiev, M.I. Vales, R.L. Phillips, and H.W. Rines Isolation of A/D and C genome-specific dispersed and clustered repetitive DNA sequences from *Avena sativa* 431

T. Gavrilenko, J. Larkka, E. Pehu, and V.-M. Rokka Identification of mitotic chromosomes of tuberous and non-tuberous *Solanum* species (*Solanum tuberosum* and *Solanum brevidens*) by GISH in their interspecific hybrids 442

June / juin

S.R. Prashanth, M. Parani, B.P. Mohanty, V. Talame, R. Tuberosa, and A. Parida Genetic diversity in cultivars and landraces of *Oryza sativa* subsp. *indica* as revealed by AFLP markers 451

L. Arru, R.E. Niks, P. Lindhout, G. Valé, E. Francia, and N. Pecchioni Genomic regions determining resistance to leaf stripe (*Pyrenophora graminea*) in barley 460

R. Sharma, R.A.K. Aggarwal, R. Kumar, T. Mohapatra, and R.P. Sharma Construction of an RAPD linkage map and localization of QTLs for oleic acid level using recombinant inbreds in mustard (*Brassica juncea*) 467

Y.-H. Wang, W. Choi, C.E. Thomas, and R.A. Dean Cloning of disease-resistance homologues in end sequences of BAC clones linked to *Fom-2*, a gene conferring resistance to *Fusarium* wilt in melon (*Cucumis melo* L.) 473

B. Bornet, F. Goraguer, G. Joly, and M. Branchard Genetic diversity in European and Argentinian cultivated potatoes (*Solanum tuberosum* subsp. *tuberosum*) detected by inter-simple sequence repeats (ISSRs) 481

D.J. Somers and G. Demmon Identification of repetitive, genome-specific probes in crucifer oilseed species 485

T. Inukai and Y. Sano Sequence rearrangement in the AT-rich minisatellite of the novel rice transposable element *Basho* 493

M.S. Kim, P.H. Moore, F. Zee, M.M.M. Fitch, D.L. Steiger, R.M. Manshardt, R.E. Paull, R.A. Drew, T. Sekioka, and R. Ming Genetic diversity of *Carica papaya* as revealed by AFLP markers 503

P. Labombarda, A. Busti, M.E. Caceres, F. Pupilli, and S. Arcioni An AFLP marker tightly linked to apomixis reveals hemizygosity in a portion of the apomixis-controlling locus in *Paspalum simplex* 513

F.A. Bliss, S. Arulsekar, M.R. Foolad, V. Becerra, A.M. Gillen, M.L. Warburton, A.M. Dandekar, G.M. Kocsisne, and K.K. Mydin An expanded genetic linkage map of *Prunus* based on an interspecific cross between almond and peach 520

T.Z. Ye, R.-C. Yang, and F.C. Yeh Population structure of a lodgepole pine (*Pinus contorta*) and jack pine (*P. banksiana*) complex as revealed by random amplified polymorphic DNA 530

T. Yin, X. Zhang, M. Huang, M. Wang, Q. Zhuge, S. Tu, L.-H. Zhu, and R. Wu Molecular linkage maps of the *Populus* genome 541

R. Matyášek, J. Fulneček, K.Y. Lim, A.R. Leitch, and A. Kovařík Evolution of 5S rDNA unit arrays in the plant genus *Nicotiana* (Solanaceae) 556

C. Shindo, T. Sasakuma, N. Watanabe, and K. Noda Two-gene systems of vernalization requirement and narrow-sense earliness in einkorn wheat 563

R.A. King and C. Ferris A variable minisatellite sequence in the chloroplast genome of *Sorbus* L. (Rosaceae: Maloideae) 570

Y. Samitsu and K. Hosaka Molecular marker analysis of 24- and 25-chromosome plants obtained from *Solanum tuberosum* L. subsp. *andigena* ($2n = 4x = 48$) pollinated with a *Solanum phureja* haploid inducer 577

B. Beecher, J. Bowman, J.M. Martin, A.D. Bettge, C.F. Morris, T.K. Blake, and M.J. Giroux Hordoindolines are associated with a major endosperm-texture QTL in Barley (*Hordeum vulgare*) 584

M.A. Gore, A.J. Hayes, S.C. Jeong, Y.G. Yue, G.R. Buss, and M.A. Saghai Maroof Mapping tightly linked genes controlling potyvirus infection at the *Rsv1* and *Rpv1* region in soybean 592–599

NOTES

R. Fernández, M.J.L. Barragán, M. Bullejos, J.A. Marchal, S. Martínez, R. Díaz de la Guardia, and A. Sánchez Mapping the *SRY* gene in *Microtus cabrerae*: a vole species with multiple *SRY* copies in males and females 600

E. Drosopoulou, K. Wiebauer, M. Yiangou, P. Mavragani-Tsipidou, H. Domdey, and Z.G. Scouras Isolation, characterization, and localization of β-tubulin genomic clones of three *Drosophila montium* subgroup species 604

August / août

P. Lorite, S. Renault, F. Rouleux-Bonnin, S. Bigot, G. Periquet, and T. Palomeque Genomic organization and transcription of satellite DNA in the ant *Aphaenogaster subterranea* (Hymenoptera, Formicidae) **609**

S. Taketa, M. Choda, R. Ohashi, M. Ichii, and K. Takeda Molecular and physical mapping of a barley gene on chromosome arm 1HL that causes sterility in hybrids with wheat **617**

S. Takumi, M. Ida, Y. Haisa, S. Ando, and C. Nakamura Genomic structure and homoeologous relationship of the two α-subunit genes of a heterotrimeric GTP-binding protein in tobacco **626**

D. Foster-Hartnett, J. Mudge, D. Larsen, D. Danesh, H. Yan, R. Denny, S. Peñuela, and N.D. Young Comparative genomic analysis of sequences sampled from a small region on soybean (*Glycine max*) molecular linkage group G **634**

M. Ahmad Assessment of genomic diversity among wheat genotypes as determined by simple sequence repeats **646**

J.-K. Yu, J. Mangor, L. Thompson, K.J. Edwards, M.B. Slabaugh, and S.J. Knapp Allelic diversity of simple sequence repeats among elite inbred lines of cultivated sunflower **652**

A. Masoudi-Nejad, S. Nasuda, A. Kawabe, and T.R. Endo Molecular cloning, sequencing, and chromosome mapping of a 1A-encoded ω-type prolamin sequence from wheat **661**

M.S. Carneiro, L.E.A. Camargo, A.S.G. Coelho, R. Vencovsky, R.P. Leite Jr., N.M.C. Stenzel, and M.L.C. Vieira RAPD-based genetic linkage maps of yellow passion fruit (*Passiflora edulis* Sims. f. *flavicarpa* Deg.) **670**

F. Carreel, D. Gonzalez de Leon, P. Lagoda, C. Lanaud, C. Jenny, J.P. Horry, and H. Tezenas du Montcel Ascertaining maternal and paternal lineage within *Musa* by chloroplast and mitochondrial DNA RFLP analyses **679**

C. Granger, V. Coryell, A. Khanna, P. Keim, L. Vodkin, and R.C. Shoemaker Identification, structure, and differential expression of members of a BURP domain containing protein family in soybean **693**

E. Blum, K. Liu, M. Mazourek, E.Y. Yoo, M. Jahn, and I. Paran Molecular mapping of the *C* locus for presence of pungency in *Capsicum* **702**

J.D. Faris and B.S. Gill Genomic targeting and high-resolution mapping of the domestication gene *Q* in wheat **706**

W. Zhou, F.L. Kolb, G. Bai, G. Shaner, and L.L. Domier Genetic analysis of scab resistance QTL in wheat with microsatellite and AFLP markers **719**

P.M. Erdmann, R.K. Lee, M.J. Bassett, and P.E. McClean A molecular marker tightly linked to *P*, a gene required for flower and seedcoat color in common bean (*Phaseolus vulgaris* L.), contains the Ty3–*gypsy* retrotransposon *Tpv3g* **728**

C. Neu, N. Stein, and B. Keller Genetic mapping of the *Lr20–Pm1* resistance locus reveals suppressed recombination on chromosome arm 7AL in hexaploid wheat **737**

S. Matsunaga, F. Yagisawa, M. Yamamoto, W. Uchida, S. Nakao, and S. Kawano LTR retrotransposons in the dioecious plant *Silene latifolia* **745**

Z.-S. Gao, S. Sugita, S. Ikeda, H.-W. Cai, T. Sasaki, and G.H. Liang Linkage of AFLP markers to *lhd 1*, a recessive heterochronic gene in Italian ryegrass **752**

É. Kaszás, A. Kato, and J.A. Birchler Cytological and molecular analysis of centromere misdivision in maize **759**

Z. Jiang, J.S. Melville, H. Cao, S. Kumar, A. Filipski, and A.M.V. Gibbins Measuring conservation of contiguous sets of autosomal markers on bovine and porcine genomes in relation to the map of the human genome **769**

NOTE

M. Hizume, F. Shibata, A. Matsumoto, Y. Maruyama, E. Hayashi, T. Kondo, K. Kondo, S. Zhang, and D. Hong Tandem repeat DNA localizing on the proximal DAPI bands of chromosomes in *Larix*, Pinaceae **777**

ERRATUM

T.Z. Ye, R.-C. Yang, and F.C. Yeh Erratum: Population structure of a lodgepole pine (*Pinus contorta*) and jack pine (*P. banksiana*) complex as revealed by random amplified polymorphic DNA **784**

October/octobre

J.T. Ouédraogo, J.-B. Tignegre, M.P. Timko, and F.J. Belzile AFLP markers linked to resistance against *Striga gesnerioides* race 1 in cowpea (*Vigna unguiculata*) **787**

R. Ming, T.A. Del Monte, E. Hernandez, P.H. Moore, J.E. Irvine, and A.H. Paterson Comparative analysis of QTLs affecting plant height and flowering among closely-related diploid and polyploid genomes **794**

C.C. Martin, C.H. Tsang, R.G. Beiko, and P.H. Krone Expression and genomic organization of the zebrafish chaperonin gene complex **804**

S.D. Rider Jr., W. Sun, R.H. Ratcliffe, and J.J. Stuart Chromosome landing near avirulence gene *vH13* in the Hessian fly **812**

E.S. Mace and I.D. Godwin Development and characterization of polymorphic microsatellite markers in taro (*Colocasia esculenta*) **823**

T.R. Gregory Genome size and developmental parameters in the homeothermic vertebrates **833**

V. Lefebvre, S. Pflieger, A. Thabuis, C. Caranta, A. Blattes, J.-C. Chauvet, A.-M. Daubèze, and A. Palloix Towards the saturation of the pepper linkage map by alignment of three intraspecific maps including known-function genes **839**

N. Snäll, K. Huoponen, M.-L. Savontaus, and K. Ruohomäki Tandem repeats and length variation in the mitochondrial DNA control region of *Epirrita autumnata* (Lepidoptera: Geometridae) **855**

O. Randig, M. Bongiovanni, R.M.D.G. Carneiro, and P. Castagnone-Sereno Genetic diversity of root-knot nematodes from Brazil and development of SCAR markers specific for the coffee-damaging species **862**

A. Gariou-Papalexiou, G. Yannopoulos, A. Zacharopoulou, and R.H. Gooding Photographic polytene chromosome maps for *Glossina morsitans submorsitans* (Diptera: Glossinidae): cytogenetic analysis of a colony with sex-ratio distortion **871**

C.M. Radcliffe, E.A. Silva, and S.D. Campbell A method for assaying the sensitivity of *Drosophila* replication checkpoint mutants to anti-cancer and DNA-damaging drugs **881**

B. Bornet, C. Muller, F. Paulus, and M. Branchard Highly informative nature of inter simple sequence repeat (ISSR) sequences amplified using tri- and tetra-nucleotide primers from DNA of cauliflower (*Brassica oleracea* var. *botrytis* L.) **890**

C. Hansen, J.N.B. Shrestha, R.J. Parker, G.H. Crow, P.J. McAlpine and J.N. Derr Genetic diversity among Canadienne, Brown Swiss, Holstein, and Jersey cattle of Canada based on 15 bovine microsatellite markers **897**

X. Nie, R.P. Singh, and G.C.C. Tai Molecular characterization and expression analysis of 1-aminocyclopropane-1-carboxylate oxidase homologs from potato under abiotic and biotic stresses **905**

W.A. van Haeringen, M.G.D. Bieman, Æ. Lankhorst, H.A. van Lith, and L.F.M. van Zutphen Application of AFLP markers for QTL mapping in the rabbit **914**

A. Martínez-Lage, F. Rodríguez, A. González-Tizón, E. Prats, L. Cornudella, and J. Méndez Comparative analysis of different satellite DNAs in four *Mytilus* species **922**

B. Janousek, S. Matsunaga, E. Kejnovsky, J. Zluvova, and B. Vyskot DNA methylation analysis of a male reproductive organ specific gene (*MROS1*) during pollen development **930**

V. Cevik and G.J. King Resolving the aphid resistance locus *Sd*-1 on a BAC contig within a sub-telomeric region of *Malus* linkage group 7 **939**

M. Kishii and H. Tsujimoto Genus-specific localization of the *Tai*I family of tandem-repetitive sequences in either the centromeric or subtelomeric regions in Triticeae species (Poaceae) and its evolution in wheat **946**

Y. Ogihara and T. Ohsawa Molecular analysis of the complete set of length mutations found in the plastomes of *Triticum–Aegilops* species **956**

S.A. Brooks, L. Huang, B.S. Gill, and J.P. Fellers Analysis of 106 kb of contiguous DNA sequence from the D genome of wheat reveals high gene density and a complex arrangement of genes related to disease resistance **963**

NOTES

M. Boniotto, M. Ventura, M.F. Cardone, F. Boaretto, N. Archidiacono, M. Rocchi, and S. Crovella Localization of a new highly repeated DNA sequence of *Lemur catta* (Lemuridae, Strepsirhini) **973**

D.W. Cheng and K.C. Armstrong Direct capture and cloning of receptor kinase and peroxidase genes from genomic DNA **977**

M.E. Devey, J.C. Bell, T.L. Uren, and G.F. Moran A set of microsatellite markers for fingerprinting and breeding applications in *Pinus radiata* **984**

December / decembre

R.J. Mason-Gamer, N.L. Orme, and C.M. Anderson Phylogenetic analysis of North American *Elymus* and the monogenomic Triticeae (Poaceae) using three chloroplast DNA data sets **991**

R.A. Pertuzé, Y. Ji, and R.T. Chetelat Comparative linkage map of the *Solanum lycopersicoides* and *S. sitiens* genomes and their differentiation from tomato **1003**

J. Murray, J. Larsen, T.E. Michaels, A. Schaafsma, C.E. Vallejos, and K.P. Pauls Identification of putative genes in bean (*Phaseolus vulgaris*) genomic (Bng) RFLP clones and their conversion to STSs **1013**

M.L. Balasov Genetic factors controlling *white* gene expression of the transposon A^R *4-24* at a telomere in *Drosophila melanogaster* **1025**

L.A. Boyd, P.H. Smith, A.H. Wilson, and P.N. Minchin Mutations in wheat showing altered field resistance to yellow and brown rust **1035**

S.S. Kaundun and S. Matsumoto Heterologous nuclear and chloroplast microsatellite amplification and variation in tea, *Camellia sinensis* **1041**

M.J. Christoffers, M.L. Berg, and C.G. Messersmith An isoleucine to leucine mutation in acetyl-CoA carboxylase confers herbicide resistance in wild oat **1049**

B. Román, A. M[a] Torres, D. Rubiales, J.I. Cubero, and Z. Satovic Mapping of quantitative trait loci controlling broomrape (*Orobanche crenata* Forsk.) resistance in faba bean (*Vicia faba* L.) **1057**

J.A. Rodzen and B. May Inheritance of microsatellite loci in the white sturgeon (*Acipenser transmontanus*) **1064**

A. Srivastava, C. Heise, A. Garg, and J.B. Bell The relationship between the dominant *Additional vein* mutant in *Drosophila melanogaster* and *engrailed* **1077**

M.H. Rahman and O.P. Rajora Microsatellite DNA fingerprinting, differentiation, and genetic relationships of clones, cultivars, and varieties of six poplar species from three sections of the genus *Populus* **1083**

I.A. Matus and P.M. Hayes Genetic diversity in three groups of barley germplasm assessed by simple sequence repeats **1095**

E. White, R. Sahota, and S. Edes Rapid microsatellite analysis using discontinuous polyacrylamide gel electrophoresis **1107**

C. Lanzone, C.J. Bidau, M.D. Giménez, and J.L. Santos Synaptic behaviour and morphological modifications of the X and Y chromosomes during pachytene in three species of *Ctenomys* (Rodentia, Caviomorpha, Ctenomyidae) **1110**

M. Ayoub and D.E. Mather Effectiveness of selective genotyping for detection of quantitative trait loci: an analysis of grain and malt quality traits in three barley populations **1116**

M. Clemente, M.I. Remis, and J.C. Vilardi Ribosomal DNA variation in the grasshopper, *Dichroplus elongatus* **1125**

F. Li and Z.-J. Han Two different genes encoding acetylcholinesterase existing in cotton aphid (*Aphis gossypii*) **1134**

R. Arroyo-García, F. Lefort, M. Teresa de Andrés, J. Ibáñez, J. Borrego, N. Jouve, F. Cabello, and J.M. Martínez-Zapater Chloroplast microsatellite polymorphisms in *Vitis* species **1142**

T. Nakamura, P. Vrinten, M. Saito, and M. Konda Rapid classification of partial waxy wheats using PCR-based markers **1150**

T. Nishikawa, B. Salomon, T. Komatsuda, R. von Bothmer, and K.-I Kadowaki Molecular phylogeny of the genus *Hordeum* using three chloroplast DNA sequences **1157**

R.M. Shahjahan and F. Yesmin Polytene chromosome maps of the melon fly *Bactrocera cucurbitae* (Diptera: Tephritidae) **1167**

F.J. Massawe, M. Dickinson, J.A. Roberts, and S.N. Azam-Ali Genetic diversity in bambara groundnut (*Vigna subterranea* (L.) Verdc) landraces revealed by AFLP markers **1175**

M.S. Negi, J. Rajagopal, N. Chauhan, R. Cronn, and M. Lakshmikumaran Length and sequence heterogeneity in 5S rDNA of *Populus deltoides* **1181**

S. Doganlar, A. Frary, H.-M. Ku, and S.D. Tanksley Mapping quantitative trait loci in inbred backcross lines of *Lycopersicon pimpinellifolium* (LA1589) **1189**

E. Lionneton, S. Ravera, L. Sanchez, G. Aubert, R. Delourme, and S. Ochatt Development of an AFLP-based linkage map and localization of QTLs for seed fatty acid content in condiment mustard (*Brassica juncea*) **1203**

Q. Huang, A. Beharav, Y. Li, V. Kirzhner, and E. Nevo Mosaic microecological differential stress causes adaptive microsatellite divergence in wild barley, *Hordeum spontaneum*, at Neve Yaar, Israel **1216**

M.L. Irigoyen, C. Linares, E. Ferrer, and A. Fominaya Fluorescence in situ hybridization mapping of *Avena sativa* L. cv. SunII and its monosomic lines using cloned repetitive DNA sequences **1230**

E.D. Nagy, M. Molnár-Láng, G. Linc, and L. Láng Identification of wheat–barley translocations by sequential GISH and two-colour FISH in combination with the use of genetically mapped barley SSR markers **1238**

NOTE

T. Tyler Geographic structure of genetic variation in the widespread woodland grass *Milium effusum* L. A comparison between two regions with contrasting history and geomorphology **1248**

COMMUNICATION

N.C.P. Bione, M.S. Pagliarini, and L.A. de Almeida An original mutation in soybean (*Glycine max* (L.) Merrill) involving degeneration of the generative cell and causing male sterility **1257**